HIS PAGE LEFT BLANK

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 25 January 2001 (25.01.2001)

PCT

(10) International Publication Number WO 01/06381 A1

(51) International Patent Classification7:

G06F 15/00 (7

- (21) International Application Number: PCT/US00/40389
- (22) International Filing Date: 14 July 2000 (14.07.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 09/354,525

15 July 1999 (15.07.1999) US

PLL

- (71) Applicant: HOTV INC. [US/US]; Suite 350, 11455 El Camino Real, San Diego, CA 92130 (US).
- (72) Inventors: SHASTRI, Vijnan; 12664 Toxey Bluff Drive #216, San Diego, CA 92130 (US). ARYA, Ashwani; 12664 Torrey Bluff Drive #216, San Diego, CA 92130 (US). SAMPATH, Sumanth; 12718 Torrey Bluff Drive #153, San Diego, CA 92130 (US). RHARADWAI, Rinku; 12670 Torrey Bluff Drive #267, San Diego, CA 92130 (US). GUPTA, Parni; 12670 Torrey Bluff Drive #267, San Diego, CA 92130 (US).


- (74) Agent: BOYS, Donald, R.; P.O. Box 187, Aromas, CA 95004 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

[Continued on next page]

(54) Title: MEDIA-RICH INTERACTIVE VIDEO MAGAZINE



/06381 AJ

(57) Abstract: A video magazine (101) operates from a network server delivering a magazine (101) to clients having computerized stations including a display apparatus and a backlink mechanism. The client is enabled to select a magazine (101), and through an entry page to select one of several articles or presentations (103) in the magazine (101). In a control and presentation page (103) that the client can control play of a video through interactive thumbnails representing different portions of the video, where there are typically natural scene changes or other transitions in content. Separate windows present additional and related information, and allow the client to supp to other pages and return to the video presentation.

PAGE 5/39 * RCVD AT 1/10/2005 4:28:18 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/3 * DNIS:8729306 * CSID:509 323 8979 * DURATION (mm-ss):11-50

WO 01/06381 A1

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PCT/US00/40389

Media-Rich Interactive Video Magazine

GEN CENTED

JAN 1 @ 2005

5

10

25

30

Field of the Invention

The present invention is in the field of video broadcasting, and pertains more particularly to methods and apparatus for providing users with media-rich video-magazine presentations, wherein the user can select and control the flow of media.

Background of the Invention

15 With continuing development of new and better ways of delivering television and other video presentations to end users, and parallel development of computerized information systems, such as the Internet and the associated World Wide Web (WWW), there have been concerted efforts to integrate various systems to provide enhanced information delivery and entertainment systems. For example, developers are introducing 20 integrated systems combining TVs with computer subsystems, so a TV may be used as a WEB browser, or a PC may be used for enhanced TV viewing.

In some systems computer elements, such as a CPU, memory, and the like, are built into the familiar chassis of a TV set. In such a system, the TV screen becomes the display monitor in the computer mode. In such a system, conventional TV elements and circuitry are incorporated along with the computer elements, and capability is provided for a user to switch modes, or to view recorded or broadcast video with added computer interaction. One may thus, with a properly equipped system, select to view analog TV programs, digital TV programs, conventional cable TV, satellite TV, pay TV from various sources, and browse the WWW as well, displaying WEB pages and interacting with on-screen fields and relational systems for jumping to related information, databases, and other WEB pages.

The capabilities are often integrated into a single display, that is, one may view a broadcast presentation and also have a window on the display for WEB interaction.

In some other systems, computer elements are provided in an enclosure separate from the TV, often referred to in the art as a set-top box. Set-top box systems have an advantage for providers in that they may be connected to conventional television sets, so end users don't have to buy a new TV along with the computer elements.

In such integrated systems, whether in a single enclosure or as set-top box systems, user input is typically through a hand-held device quite similar to a familiar remote controller, usually having infra-red communication with the set-top box or a receiver in the integrated TV. For computer modes, such as WEB browsing, a cursor is displayed on the TV screen, and cursor manipulation is provided by buttons or other familiar pointer apparatus on the remote. Select buttons are also provided in the remote to perform the familiar function of such buttons on a pointer device, like a mouse or trackball more familiar to computer users.

Set-top boxes and computer-integrated TVs adapted as described above typically have inputs for such as a TV antenna (analog), cable TV (analog or digital), more recently direct-satellite TV (digital), and may also connect to video cassette recorders and to mass storage devices such as hard disk drives and CD-ROM drives to provide a capability for uploading video data from such devices and presenting the dynamic result as a display on the TV screen.

15

20

The inventors note that the innovations and developments described above provide enhanced ability to view and interact with video presentations, and that the quality of presentation and efficiency of interaction will be at least partly a function of the computer power provided and the sophistication and range of the hardware and software. In the present invention, as will be seen below, the invention may be practiced with a high-end PC, or with integrated TV/computer systems as described above, with varying degrees of efficiency and quality of presentation.

The present inventors have noted that even with the advances in hardware and software so far introduced in the art, there is still considerable room for improvement, and

5

10

30

PCT/US00/40389

-3-

the inventors have accordingly provided a unique interactive video presentation system as a contribution to the art.

Summary of the Invention

In a preferred embodiment of the present invention an Interactive Video Magazine system is provided, comprising a server storing video presentations, entry pages, and presentation and control pages for the magazine, and executing video magazine control routines; a client station having a video display terminal and computer circuitry for displaying the video presentations, entry pages, and presentation and control pages for the magazine, and executing client video magazine software; and at least one digital link between the server and the client station for streaming video from the server to the client station and enabling backlink signals from the client 15 station to the server. A user is enabled through the client and server software and the digital link to select a video magazine, to jump to an entry page and to select therein at least one video, and to control the playing of the video through selection of thumbnails representing natural transitions in the video.

In one embodiment selecting a thumbnail causes the video to jump immediately to the portion for which the natural transition is the first frame. There may be also additional windows presenting additional textual information related to the video. The textual information in the additional window changes, in some embodiments, for each portion of the video represented by a thumbnail.

In addition to the above there may a feedback selection opening a window wherein a client may respond to a survey on the magazine presentations. In various embodiments of the invention, taught in enabling detail below, for the first time a media-rich interactive video magazine is provided wherein clients may access information and entertainment presentations which are periodically changed and updated in the nature of a magazine, and may control the order and timing of presentations.

-4-

Brief Description of the Drawing Figures

Fig. 1 is a system diagram illustrating an exemplary architecture for practicing the present invention.

Fig. 2 is a first entry page for a video magazine according to an embodiment of the present invention.

Fig. 3 is an second entry page for the video magazine.

10

15

Fig. 4 is a presentation and control page for a presentation provided by the video magazine.

Fig. 5 is a feedback page for feedback from clients in the video magazine.

Description of the Preferred Embodiments

According to a preferred embodiment of the present invention, a media-rich video magazine system is provided for education and entertainment of clients of a presentation service. Fig. 1 illustrates an architecture upon which the video-magazine system may be practiced. In Fig. 1 a user's premise 101 has a display 118, which may be a television set with computer integration, and a set top box 102 enabled to receive video streams, in this case, by three different ports. Video may be received at box 102 via cable link 103 from a cable network 104 having a server 105, which may alternately receive video via an Internet connection 106 for rebroadcast from exemplary Internet servers 107, 108 and 109 in Internet cloud 110, the servers loosely connected on Internet backbone 111. In most cases the cable link is a one-way link not providing a backlink to the user to interact with a video presentation served.

Box 102 in this example also has a satellite port 112 connected to a satellite dish 113 for receiving video streams from a satellite network 114 via a satellite 115 to which video stream is uploaded from a server 116 connected by link 117 to Internet cloud 110, and the box may thereby receive video streams via the satellite link as well.

10

20

30

- 5 -

Again, in most conventional cases the satellite link is a one-way link, and no backlink is provided to the user, although the backlink limitation is not inherent.

Box 102 in this embodiment also has a land-line telephony modem connection 119 to an ISP 120 through which the box is connected to Internet 110 via server 121. There are other means by which video streams may be received by a user's station and by which the user may backlink to a sender for interaction with the presentation system. Fig. 1 is meant to illustrate several of the more common. In a simple case, as will be apparent with further disclosure below, a user with a PC may receive a video presentation and interact; with that presentation according to an embodiment of the present invention through a single connection, such as a conventional Internet connection. Alternatively separate and disparate paths may be used for presentation to a user and user reaction using any of the alternatives apparent in architecture of Fig. 1, or other architectures.

In a preferred embodiment of the present invention a central server, typically a subscription server, is enabled to store and present a media-rich video magazine according to embodiments of the present invention to multiple clients (users). The subscription server may be any of the servers 107, 108, 109 in Fig. 1, server 121 of ISP 120, server 105 of cable station 104, or server 116 of satellite station 114. For illustration only this narrative will assume the subscription server is server 121 in ISP 120, and that all presentation and interaction is via land-line modern link 119. For this description Video Magazine software (Server software) 122 is illustrated as executing on server 121, and client software 123 is shown as executing on box 102.

The skilled artisan will be aware that the client station can take a number of forms, and there will be many client stations not all of the same form. All client stations, however, must be enabled to execute a client software to practice the invention. The arrangement shown is merely exemplary.

The video magazine made available to clients by server 121 (in this embodiment) has abstract features in common with more conventional hard-copy magazines. For example, in both cases authors compose presentations. In the hardcopy magazine the presentations are articles with pictures, while in the interactive

25

-6-

video magazine of the present invention the presentations are interactive video presentations with client interactivity mechanisms wherein a viewing client may interact with, manage, and control the presentation. The articles in both cases can be of various kinds, such as documentaries or fiction stories. Both kinds of magazine have editors who assign tasks, control direction and content, and put together the various articles as a periodic new edition of the magazine. In both cases there may be departments and letters to the editor and the like. There are many other similarities.

Fig. 2 is a first page of an edition of an exemplary media-rich Interactive magazine according to an embodiment of the present invention. Window 101 is a display on a display screen at a user's station, such as TV 118 of station 101 (Fig. 1). This first page may be considered analogous in some respects to a table of contents for a hardcopy magazine, except this first page has greatly enhanced functionality.

First page 101 has an ID logo 102 identifying this magazine as an edition of Innovaty Interactive magazine. A list of selectable entries 103 comprise the presentations available in the current edition of the magazine. Selection is by moving a cursor 106 to the area of a listing and clicking on the area. A mouseover changes the color of a bullet at the head of each listing, indicating which presentation is about to be selected. The presentation which is thus highlighted also causes a picture to be displayed in a window 104, the picture being indicative of the presentation. In this example the Chef Larry Interactive presentation is highlighted, and a still of Chef Larry is displayed in window 104. A download button 105 is provided in this example enabling a viewer/client to download from the server software for interacting with the server to view magazine presentations. This is, in this embodiment, client software 123 (Fig. 1).

Fig. 2 indicates there are six presentations in the current edition of the magazine, these being, besides Chef Larry Interactive, Surf 'n Skate, Skydive Interactive, ESPN - Basketball with Replay, Media Asia Movie Guide, and Channel 2000 Interactive.

10

20

25

-7-

Fig. 3 is another view of first page 101 with cursor 106 moved to highlight Channel2000 Interactive, and it is seen that window 104 now has a new picture, this being a picture of a reporter and narrator for Channel2000 Interactive.

When a client selects one or another of the listed presentations shown in Figs. 2 and 3, a backlink signal goes to server 121 (Fig. 1), which responds by serving a new page to the client, this being a control and presentation page dedicated to the particular presentation selected. Fig. 4 is the control and presentation page for Chef Larry Interactive, and is described below in enabling detail as representative of all the other presentations available in the magazine, all of the presentations having similar functionality.

The control and presentation page shown has a logo at the upper left for Chef Larry's Cuisine Club. A video window 201 provides an active video presentation selectable and controllable to a large degree by the viewer/client. The video presentation that will play in this case is one of three selectable from list 204. The three selections are Rockfish en Papillote, which shows in detail how to prepare the title dish; Warm Spring Bean and Red Potato Salad, which shows in detail how to make the side dishes to accompany the fish main course, and Serving, which shows the details of serving the courses properly and elegantly. Again selection is made by moving cursor 106 and using a pointer device input, such as a mouse. In this particular case the Rockfish en Papillote video is selected.

A dynamic time window 208 shows the current position of the video (0:00) and the total time (9:39) for the video. Play pause and stop buttons 207 are provided to enable the client to start, pause, and stop the video. A Stop signal causes the video to go to the start and wait for a Play signal.

In addition to starting, pausing and stopping, a set of thumbnails 202 is provided. Each thumbnail is a frame of the video at a natural scene change or transition point in the video. These may be thought of as Chapter headings in the video presentation. Note that there are eight thumbnails shown, but a scroll bar 203 enables there to be many more than the eight selectable thumbnails shown. No frames

10

-8-

are shown in the thumbnails in Fig. 4 to avoid confusion of too much detail, but in the actual implementation the frames may be seen.

Selecting a thumbnail causes the video presentation to jump to the selected frame, and changes the time window 208 to indicate the time position in the video. Jumps may be from any position in the video to the selected position, and if the video is playing when a jump is made, the video automatically restarts at the jumped-to position. If the video is stopped or paused when a selection is made, the video jumps to the new position and indexes the time window, but waits for a play signal to play the video from the new position. One may thus jump to different related videos and to natural transition position within videos at will.

Window 209 provides additional info and selectable links. The text shown is a general comment for the video. When one selects a link in this window the video, if playing in window 201, goes to pause, and a new window (not shown) opens as a conventional browsing window to the new destination. When one leaves the new destination and closes the browsing window, the video resumes in window 201.

Window 210 provides text information specific to each video segment represented by a thumbnail. A row of buttons 211 across the bottom of window 211 enables a client to select content for this window. Weblinks takes the client to related Web sites, and behavior is as described above for jumps to outside Web sites. History accesses events already past in the video. Recipe provides a printable recipe for the dishes illustrated and taught in the available videos. Help takes the client to a tutorial on how the magazine system works.

Home buttons 206 enable a client to go to one of two selectable home destinations. One if the Chef Larry Cuisine Club home page and the other a RoadRunner home page, which is an access point for interactive magazines of the kind taught herein, and for other content as well.

A Feedback button 205 takes a client to a feedback page shown exemplary in Fig. 5. The feedback page enables a client to answer a series of questions providing valuable feedback to the editors of the media-rich magazine. A scroll bar 501 enables the client to access all of the questions in a feedback list.

10

-9-

Just one of six available presentations in a media-rich Interactive Magazine has been taught herein, but the other five, although the appearance and implementation of interactive controls may differ (different backgrounds, different positions, certainly different video content related to the listed titles) the control and flow is similar. In each case a video window (201) is provided, there are Stop, Pause, and Play controls (207), each video presentation is parsed by thumbnails (202), more than one video on the title subject may be selectable (204), and extra windows with extra information and destinations are provided (209 and 210).

In alternative embodiment of the present invention a number of video magazines, each having plural presentation content and periodically updated to new content (just like a hardcopy magazine) may be made available through a subscription server. Again it is emphasized that the invention may be practiced in a variety of equipment configurations, both at the server and the client end. It will be apparent to the skilled artisan that the appearance of entry pages and the appearance and interface mechanisms of both these and the presentation and control pages may vary widely within the spirit and scope of the invention. The invention should thus be granted broad latitude and be limited only by the claims which follow.

and the second of the second o

WO 01/06381 PCT/US00/40389

PLL

- 10 -

What is claimed is:

5

25

1. An Interactive Video Magazine system, comprising:

a server storing video presentations, entry pages, and presentation and control pages for the magazine, and executing video magazine control routines;

a client station having a video display terminal and computer circuitry for displaying the video presentations, entry pages, and presentation and control pages for the magazine, and executing client video magazine software; and


at least one digital link between the server and the client station for streaming video from the server to the client station and enabling backlink signals from the client station to the server;

wherein a user is enabled through the client and server software and the digital link to select a video magazine, to jump to an entry page and to select therein at least one video, and to control the playing of the video through selection of thumbnails representing natural transitions in the video.


- 2. The system of claim 1 wherein selecting a thumbnail causes the video to jump immediately to the portion for which the natural transition is the first frame.
- 20 3. The system of claim 1 further comprising at least one additional window presenting additional textual information related to the video.
 - 4. The system of claim 3 wherein the textual information in the additional window changes for each portion of the video represented by a thumbnail.
 - 5. The system of claim 1 further comprising a feedback selection opening a window wherein a client may respond to a survey on the magazine presentations.


1/5

PLL




PAGE 17/39 * RCVD AT 1/10/2005 4:28:18 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/3 * DNIS:8729306 * CSID:509 323 8979 * DURATION (mm-ss):11-50





PLL

Fig.



	TO THE POST DEPOS	er e	International appl	ication No.	
INTERNATIONAL SEARCH REPOR			PCT/US00/40389	DEV.	
IPC(7) US CL According to	SSIFICATION OF SUBJECT MATTER : G06F 15/00 : 707/501, 515; 345/302, 328 International Patent Classification (IPC) or to both n DS SEARCHED	ational classification	and IPC	JAN 1 0 200	
Minimum do U.S. : 7	cumentation searched (classification system followed 07/501, 515; 345/302, 328			, c	
Documentati	on searched other than minimum documentation to the	c extent that such do	coments are include	d in the fields searched	
EAST	sta base consulted during the international search (nat	ne of dara base and.	where practicable, a	earch terms used)	
C. DOC	UMENTS CONSIDERED TO BE RELEVANT			Delegant to plain No.	
Category *	Cientian of dogument with indication, whore a	propriate, of the rel	evant passages	Relevant to claim No.	
Y. P	US 5,957,695 A (REFORD et al) 28 September 195 lines 1-8, column 8, lines 64-67, column 9, lines 1-	67, comm 14, me	3 12-07.	1-5	
Y, P	to the second of		1-5		
Y	US 5,839,905 A (REFORD et al) 24 November 1998, column 5, lines 33-67, column 6, lines 1-2, column 8, lines 55-67, column 9, lines 1-67, column 14, lines 4-67.			1-5	
Y	US 5,795,156 A (REPORD et al) 18 August 1998, column 5, lines 33-67, column 6, lines 1-2, column 8, lines 55-67, column 9, lines 1-67, column 14, lines 4-67.			1-5	
Y	US 5,788,507 A (REFORD et al) 04 August 1998, column 5, lines 33-67, column 6, lines 1-2, column 8, lines 55-67, column 9, lines 1-67, column 14, lines 12-67.		1-5		
Y	US 5,597,307 A (REFORD et al) 28 January 1997, column 5, lines 36-67, column 6, lines 1-5, column 8, lines 60-67, column 9, lines 1-67, column 14, lines 10-67.		1-5		
Y	US 5,892,507 A (MOORBY et al) 06 April 1999, column 4, lines 31-67, column 8, lines 9-67.		1-5		
Y	US 5,815,194 A (UEDA) 29 September 1998, colu 7	mn 2, lines 50-67, e	olumn 3, lines 1-	1-5	
Furthe	r documents are listed in the continuation of Box C.		t family ainex.		
Special categories of cited documents:		date and od	g (n. ennflikt with the applik	emational filing date or priority - ending but cited to understand the	
"A" document defining the general state of the art which is not considered to be principle of theory underlying the investion					
of particular relevance: the claimed invention cannot be considered more) or cannot published on or after the international filling date considered more) or cannot be considered to inventive at inventive at the document is taken about				claimed invertee an invertive step	
"I." document which may throw doubts on priority claim(a) or which is cited to establish the publication date of adother clusten or other special reason (as "Y" document of particular relevance; the claimed invention cannot be equilibred to hydrogen inventive supply when the document is combined with one or more other such documents, such combination				p when the document is h documents, such combination	
"P" documen	Organization for the large than the "6" decement member of the same pages family				
priority (priority date claimed				
Date of the actual completion of the international search Date of mailing of the international search report 21 NOVEMBER 2000					
Name and II	siling address of the ISA/US	Authorized officer	U	my Hanord	
Commissioner of Patents and Trademarks		MEATHER HERM	idan teera	ry ttamerol 1	

Facsimile No. (703)305-3230 Form PCT/ISA/210 (second sheet) (July 1998)

Wathington, D.C. 20231

Telephone No. 703) 308-5186

INTERNATIONAL	SEARCH	REPORT	

International application No.
PCT/US00/40389

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
		Relevant to claim No.	
tegory*	Clustion of document, with indication, where appropriate, of the relative paragraph of the relative paragraph (CLEMENT) D4 November 1997, column 2, lines 50-67, column 3, lines 1-67, column US 5,684,963 A (CLEMENT) D4 November 1997, column 2, lines 50-67, column 3, lines 1-67, column	1-3	
	I ▲ limmt 1x27.	•	
	LEMAY et al, Creating Commercial Web Pages, Sams.net Pub., 1996, pages 150-151.	5	
	TEMES AND MANAGED TO		
		\	
	·		
		}	
		}	
	•		
		ľ	
		1	
]	
•			
		1	
		1 .	
	the second secon		
	·		
		1	
		1	
		1	
•		\	
		Į.	
		1	

Form PCT/ISA/210 (continuation of second sheet) (July 1998)

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
△☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.